

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	551	385/80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 15:36
S2	311	385/80 and ferrule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:32
S5	200	385/80 and ferrule and (contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:33
S6	134	385/80 and ferrule and (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:22
S8	10	385/80 and ferrule and (angle) and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 13:06
S9	3	385/80 and ferrule and (angle) and (organic same surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:11
S10	6	"6089759"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:09
S11	360	ferrule and (silane or siloxane or silazane or titanate or aluminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:19

S12	55	ferrule same (silane or siloxane or silazane or titanate or aluminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:19
S13	13	ferrule same (silane or siloxane or silazane or titanate or aluminate) and bond	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:20
S14	7	ferrule same (silane or siloxane or silazane or titanate or aluminate) and bond and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:20
S15	0	385/80 and ferrule and glass and ((Si or Al or Ti) same (mass and oxide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:24
S16	3	385/80 and ferrule and glass and ((Si or Al or Ti) same (mass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:25
S17	6	385/80 and ferrule and glass and ((Si or Al or Ti) same (weight))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:32
S18	995	385/80 ferrule same ((Si or Al or Ti) same (weight))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:33
S19	1	385/80 and ferrule same ((Si or Al or Ti) same (weight))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 09:33

S20	3	385/80 and ferrule and (angle) and (wettability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 10:11
S21	14	385/80 and ferrule and (surface same roughness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:56
S22	1	385/80 and ferrule and (surface same (ra and value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:55
S23	16	385/80 and ferrule and (roughness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:56
S24	16	385/80 and ferrule and (roughness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:59
S25	1	"9845739"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:00
S26	3	"6170995"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 13:00